

Knowledgebase > SalesPad > Dispatch > Dispatch Geo-coordinates

Dispatch Geo-coordinates

Megan De Freitas - 2025-06-11 - Dispatch

Overview

When creating a Dispatch Appointment from a Sales Document, it is possible to set the geocoordinates for that appointment based on the Sales Document Ship To Address. These geo-coordinates can be used to estimate distances between subsequent appointments during scheduling.

In this document, you will learn how to set up and use the geo-coding functionality of SalesPad Desktop. Before proceeding, please visit the Application Settings sections of this document to ensure that you won't run into difficulties.

Table of Contents

- Overview
- <u>Setup</u>
- <u>Usage</u>
- Distance to Previous Appointment
- <u>Application Settings</u>

Setup

Currently, SalesPad only supports geocoding with Google.

First, sign up for a Google API Key. For instructions on how to do this, please refer to Google's help entry.

Enter your key into the *Geocoding API Key* setting in SalesPad. Set the *Geocoordinate Service Provider* setting to GoogleGeoCoords.

Close Save Seport Settings Seport Settings Seport Settings List Filer: Dispatch Second pAPI Key AlzaSyCFdmmEn03i0i7w6R000lLKP31Vj6KRxTZ Geocondinate Service Provider GoogleGeoCoords Routing Service Provider GoogleGeoCoords Now Overlapping Calender Appointments False Calendar Start Time 7.00:00 AIM Show StartEnd Time on Calendar Appointments False Show StartEnd Time on Calendar Appointments True Dispatch Driver Dispatch Driver Fields To Include In Audt Stop_ID; Stop_IType; To_Address_Line_2; To_Address_Line_3; To_Address	P	Settings 🗙				
Filter: Dispatch Image: Start Service Provider Geocoding API Key Objacth Calendar Options Allow Overlapping Calender Appointments False Calendar End Time Calendar End Time Calendar End Time Calendar End Time Show Previous/Next Appointment Navigation False Dispatch Route Appointment Subject Expression Appointment Subject Expression From Route Stop Guster Stop Time Roil Option Always V Dispatch Route UDFs Route Stop Time Roil Option Always V Dispatch Schedules Number Of Days To Check For Conflicting Schedules Number Of Days To Check For Conflict		Close Save Export Settings Manual Setting	s 🥔 Export Settings List			
The provided by the provider of the providere	Filte					
Image: State Stat	*Di	spatch				
V Dispatch Api Integration Geocoding API Key AlzaSyCFdmmEn03i0i7w6R000lLKP31Vj6KRxTZ Geocoding Retry Count 5 Geocoding Retry Count 5 Geocodinate Service Provider WorkWaveService V Dispatch Calendar Options Allow Overlapping Calender Appointments False Calendar End Time 6:00:00 PM Calendar Start Time 7:00:00 AM Show Start/End Time on Calendar Appointments False V Dispatch Driver Dispatch Driver Fields To Include In Audit Y V Dispatch Route Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route UDFs Route Stop Time Roll Option Route Item Weight UDF V V Dispatch Schedules Number of Days To Check For Conflicting Schedules 7 V Dispatch Vehicle Dispatch Vehicle Dispatch Vehicle						
✓ Dispatch Api Integration Geocoding API Key AlzaSyCFdmmEn03i0i7w6R000lLKP31Vj6KRxTZ Geocoding Retry Count 5 Geocoding Retry Count 5 Geocoding Retry Count WorkWaveService Routing Service Provider WorkWaveService Allow Overlapping Calender Appointments False Calendar End Time 6:00:00 PM Calendar Start Time 7:00:00 AM Show Previous/Next Appointment Navigation False Show Start/End Time on Calendar Appointments True V Dispatch Driver Dispatch Driver Fields To Include In Audit True V Dispatch Route Expression From Route Stop Appointment Subject Expression From Route Stop {(sustomer_Num}) Dispatch Route UDFs Koute Boy Stop Type; To_Address_Line_3; To_Address_Line_3; To_Address V Dispatch Route UDFs V Route Stop Time Roll Option Always V Dispatch Schedules 7 V Dispatch Vehicle Eigen Stop Time Schedules Route Stop Time Roll Option Always Dispatch Route UDF V Dispatch Schedules 7 </th <th>ŏ</th> <th>. 2↓ .</th> <th></th>	ŏ	. 2↓ .				
Geocoding API Key AlzaSyCFdmmEn03i0i7w6R000lLKP31Vj6KRxTZ Geocodring Retry Count S Geocodrinate: Service Provider GoogleGeoCoords Routing Service Provider WorkWaveService V Dispatch Calendar Options False Allow Overlapping Calender Appointments False Calendar End Time 6:00:00 PM Calendar End Time 7:00:00 AM Show Previous/Next Appointment Navigation False Show Previous/Next Appointments True Dispatch Driver Dispatch Route Appointment Subject Expression From Route Stop {Customer_Num} <	~	Dispatch Api Integration				
Geocoding Retry Count 5 Geocoding Retry Count GoogleGeoCoords Routing Service Provider WorkWaveService V Dispatch Calendar Options Allow Overlapping Calender Appointments False Calendar End Time 6:00:00 PM Calendar Start Time 7:00:00 AM Show Previous/Next Appointment Navigation False Show Start/End Time on Calendar Appointments True V Dispatch Oriver Dispatch Driver True Dispatch Route (Customer_Num}) Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression {Customer_Num} Dispatch Route Always V Dispatch Route UDFs Route Stop Columns To Include In Audit Stop_ID; Stop_Type; To_Address_Line_2; To_Address_Line_3; To_Address Route Item Weight UDF V V Dispatch Schedules Number Of Days To Check For Conflicting Schedules 7 V Dispatch Vehicle Dispatch Vehicle Dispatch Vehicle		Geocoding API Key	AIzaSyCFdmmEn03i0i7w6R000lLKP31Vj6KRxTZ			
Geocoordinate Service Provider GoogleGeoCoords Routing Service Provider WorkWaveService V Dispatch Calendar Options Allow Overlapping Calender Appointments False Calendar End Time 6:00:00 PM Calendar Start Time 7:00:00 AM Show Previous/Next Appointment Navigation False Show Start/End Time on Calendar Appointments True V Dispatch Driver Dispatch Note Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route V Dispatch Route UDFs Route Item Weight UDF V Dispatch Schedules Number Of Days To Check For Conflicting Schedules 7 V Dispatch Vehicle Dispatch Vehicle Dispatch Vehicle In Audit		Geocoding Retry Count	5			
Routing Service Provider WorkWaveService V Dispatch Calendar Options Allow Overlapping Calender Appointments False Calendar End Time 6:00:00 PM Calendar Start Time 7:00:00 AM Show Previous/Next Appointment Navigation False Show Start/End Time on Calendar Appointments True V Dispatch Driver Dispatch Route Dispatch Route Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route UDFs Route Stop Time Roll Option Route Item Weight UDF Dispatch Soft Conflicting Schedules V Dispatch Soft Vehicle Dispatch Vehicle Dispatch Vehicle Fields To Include In Audit		Geocoordinate Service Provider	GoogleGeoCoords 🗸 🗸			
V Dispatch Calendar Options Allow Overlapping Calender Appointments False Calendar End Time 6:00:00 PM Calendar Start Time 7:00:00 AM Show Start/End Time on Calendar Appointment Navigation False Show Start/End Time on Calendar Appointments True V Dispatch Driver Dispatch Driver Fields To Include In Audit True V Dispatch Route Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route UDFs Route Stop Time Roll Option V Dispatch Route UDFs Route Item Weight UDF V V Dispatch Soc Conflicting Schedules V Dispatch Vehicle Dispatch Vehicle To Joby To Include In Audit		Routing Service Provider	WorkWaveService			
Allow Overlapping Calender Appointments False Calendar End Time 6:00:00 PM Calendar Start Time 7:00:00 AM Show Previous/Next Appointment Navigation False Show Start/End Time on Calendar Appointments True V Dispatch Driver Dispatch Route Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route Stop Columns To Include In Audit Stop_Type; To_Address_Line_2; To_Address_Line_3; To_Ad	~	Dispatch Calendar Options				
Calendar End Time 6:00:00 PM Calendar Start Time 7:00:00 AM Show Previous/Next Appointment Navigation False Show Start/End Time on Calendar Apppointments True V Dispatch Driver Dispatch Driver Fields To Include In Audit True V Dispatch Route Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route Stop Time Roll Option Always V Dispatch Route UDFs Route Stop Time Roll Option Always V Dispatch Route UDFs Route Item Weight UDF USispatch Schedules Number Of Days To Check For Conflicting Schedules 7 V Dispatch Vehicle Dispatch Vehicle Dispatch Vehicle		Allow Overlapping Calender Appointments	False			
Calendar Start Time 7:00:00 AM Show Previous/Next Appointment Navigation False Show Start/End Time on Calendar Appointments True Dispatch Driver Dispatch Driver Dispatch Route Appointment Subject Expression Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route Stop Time Roll Option Always V Dispatch Route UDF's Route Stop Time Roll Option Always V Dispatch Route UDF's Route Item Weight UDF UDispatch Schedules Number Of Days To Check For Conflicting Schedules 7 V Dispatch Vehicle Dispatch Vehicle Dispatch Vehicle		Calendar End Time	6:00:00 PM			
Show Previous/Next Appointment Navigation False Show Start/End Time on Calendar Apppointments True Dispatch Driver Image: Constraint of the constraint o		Calendar Start Time	7:00:00 AM			
Show Start/End Time on Calendar Apppointments True Dispatch Driver Dispatch Driver Fields To Include In Audit V Dispatch Route Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route Stop Columns To Include In Audit Stop_ID; Stop_Type; To_Address_Line_2; To_Address_Line_3; To_Address_Line_4; To_Address_Line_3;		Show Previous/Next Appointment Navigation	False			
✓ Dispatch Driver Dispatch Driver Fields To Include In Audit ✓ ✓ Dispatch Route ✓ Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route Stop Columns To Include In Audit Stop_ID; Stop_Type; To_Address_Line_2; To_Address_Line_3; To_Address_L		Show Start/End Time on Calendar Apppointments	True			
Dispatch Driver Fields To Indude In Audit V Dispatch Route Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route Stop Columns To Indude In Audit Stop_ID; Stop_Type; To_Address_Line_2; To_Address_Line_3; To_Address_Line_4; To_Address_Line_3; To_Address_Line_4;	~	Dispatch Driver				
V Dispatch Route Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route Stop Columns To Include In Audit Stop_ID; Stop_Type; To_Address_Line_2; To_Address_Line_3; To_Address_Line_4; To_Address_Line_4		Dispatch Driver Fields To Include In Audit				
Appointment Subject Expression {Zip} - {Sales_Doc_Num} Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route Stop Columns To Include In Audit Stop_ID; Stop_Type; To_Address_Line_2; To_Address_Line_3; T	~	Dispatch Route				
Appointment Subject Expression From Route Stop {Customer_Num} Dispatch Route Stop Columns To Include In Audit Stop_ID; Stop_Type; To_Address_Line_2; To_Address_Line_3; To_Address_Line_		Appointment Subject Expression	{Zip} - {Sales_Doc_Num}			
Dispatch Route Stop Columns To Include In Audit Stop_ID; Stop_Type; To_Address_Line_2; To_Address_Line_3; To_Address		Appointment Subject Expression From Route Stop	{Customer_Num}			
Route Stop Time Roll Option Always V Dispatch Route UDFs Route Item Weight UDF Image: Constraint of the second sec		Dispatch Route Stop Columns To Include In Audit	Stop_ID; Stop_Type; To_Address_Line_2; To_Address_Line_3; To_Addre			
V Dispatch Route UDFs Route Item Weight UDF Image: Comparison of the system of the sy		Route Stop Time Roll Option	Always			
Route Item Weight UDF V Dispatch Schedules Number Of Days To Check For Conflicting Schedules 7 Dispatch Vehicle Dispatch Vehicle Fields To Indude In Audit	~	Dispatch Route UDFs				
Dispatch Schedules Number Of Days To Check For Conflicting Schedules 7 Dispatch Vehicle Dispatch Vehicle Fields To Include In Audit		Route Item Weight UDF				
Number Of Days To Check For Conflicting Schedules 7 Dispatch Vehicle Dispatch Vehicle Fields To Include In Audit	~	Dispatch Schedules				
Dispatch Vehicle Dispatch Vehicle Fields To Indude In Audit		Number Of Days To Check For Conflicting Schedules	7			
Dispatch Vehicle Fields To Indude In Audit	~	Dispatch Vehicle				
		Dispatch Vehicle Fields To Include In Audit				

Usage

When scheduling a Driver or Vehicle from a Sales Document with the Sales Document Dispatch Vehicle or Sales Document Dispatch Driver plugins, the Ship To Address will be geocoded and saved to the new appointment.

You can compare the distance from the current Sales Document Ship to Address to the Visible Schedules in the Calendar using the **Suggest** button in the upper right-hand corner.

🖑 Refre	h			
Drivers:	Scott Matthe 🗸 Type: SERVICE TECH	\sim		6/2/2016 12:00 AM V Sugges
	Scott Matthew	Frank Drebin	James Market	Arnold Simmons
	Thursday, June 2	Thursday, June 2	Thursday, June 2	Thursday, June 2
7ам				
8 00	8:00 AM-12:00 PM 45252 - ORDPH 1030 (5935 Orchard Hills Ln CINCINNATI OH 45252)		8:00 AM-4:00 PM 45249 - ORDST2296 (11104 Brookbridge Dr CINCINNATI OH 45249)	8:00 AM-2:00 PM 45252 - ORDST2296 (5935 Orchard Hills Ln CINCINNATI OH 45252)
9 00	Service		Service	Delivery
10 00				
11 00				
12 ^{PM}				
1 00				
2 00				
3.00				
400	4:00 PM-5:30 PM 45249 - ORDPH1032 (11963 PAULMEADOWS DR CINCINNATI OH 45249)			
5 00	Service			

For example, if we want to schedule a stop for 4:30 PM on 6/2/2016, we can enter the Date and Time in the dropdown just to the left of the **Suggest** button, then click the **Suggest** button.

For each Driver visible on the Calendar, the first appointment that ends prior to 4:30 PM will be considered. SalesPad will then compare that appointment's geo-coordinates against the geo-coordinates of the Sales Document.

If any of the drivers do not have appointments yet for the day, the geo-coordinates will be retrieved for the Sales Document Warehouse Address and compared against the Sales Document Ship To Address.

The calendar will then rearrange the Drivers, either from left to right or top to bottom, with the predicted closest driver as of 4:30.

Refres	sh			
Drivers:	Scott Matthe 🗸 Type: SERVICE TECH	~		6/2/2016 4:30 PM V Sugges
	Arnold Simmons	Frank Drebin	James Market	Scott Matthew
	Thursday, June 2	Thursday, June 2	Thursday, June 2	Thursday, June 2
7ам				
8 00	8:00 AM-2:00 PM 45252 - ORDST 2296 (5935 Orchard Hills Ln CINCINNATI OH 45252)		8:00 AM-4:00 PM 45249 - ORDST2296 (11104 Brookbridge Dr CINCINNATI OH 45249)	8:00 AM-12:00 PM 45252 - ORDPH1030 (5935 Orchard Hills Ln CINCINNATI OH 45252)
9 00	Delivery		Service	Service
10 00				
11 00				
12рм				
1 00				
2 00				
3.00				
4 00				4:00 PM-5:30 PM 45249 - ORDPH1032 (11963 PAULMEADOWS DR CINCINNATI OH 45249)
5.00				Service

The distance of the previous appointment (in miles) from the Sales Document Ship To Address will appear in a log.

Previous	Stop Distance at 2016/06/08 11:36 AM			_		×
🍰 Print 📄						
Previous S	itop Distance at 2016/06/08 11:36 AM					
Caption	Previous Location	Previous End Time	Distance From Previous			
Arnold Sim	5935 Orchard Hills Ln CINCINNATI OH 45252	6/2/2016 2:00:00 PM		4.3	07727382	50615
Frank Drebin	Warehouse: OH			11.0	05575195	38868
James Mar	11104 Brookbridge Dr CINCINNATI OH 45249	6/2/2016 4:00:00 PM		15.9	99698446	55593
Scott Matt	Conflicting Appointment at: 6/2/2016 4:30:00 PM					0
					0	<

In this case, the closest driver is Arnold Simmons. His appointment is over at 2 PM, and he is about 4.5 miles away at that time.

Since Frank Drebin does not have any appointments yet that day, the Sales Document Ship

To Address is compared to the Sales Document Location geo-coordinates. Warehouse: OH is 11 miles from the Sales Document Ship To Address.

Scott Matthew has a conflicting appointment, so he is placed at the bottom of the list, and it is noted that there is a conflicting appointment at 4:30 PM.

Distance to Previous Appointment

Right-click a calendar appointment to view the Calculate Distance context menu.



Selecting Calculate Distance will compare the geo-coordinates of the selected appointment and the geo-coordinates of the Sales Document Ship To Address. The distance (in miles) between them will display in a popup window.

Refre	sh					
ivers:	Scott Matthe V Type:	~				6/2/2016 12:00 AM V Sugg
	Scott Matthew	Frank Drebin	James Market	Arnold Simmons	Bill Smith	Sam Jones
	Thursday, June 2	Thursday, June 2	Thursday, June 2	Thursday, June 2	Thursday, June 2	Thursday, June 2
7ам						
8 00	8:00 AM-12:00 PM 45252 - ORDPH1030 (5935 Orchard Hills Ln CINCINNATI OH 45252)	8:00 AM-4:00 PM 45231 - ORDST2302 (2700 Compton Rd CINCINNATI OH 45231)	8:00 AM-4:00 PM 45249 - ORDST2296 (11104 Brookbridge Dr CINCINNATI OH 45249)	8:00 AM-2:00 PM 45252 - ORDST2296 (5935 Orchard Hills Ln CINCINNATI OH 45252)		8:00 AM-4:00 PM 45231 - ORDST2302 (2700 Compton Rd CINCINNATI OH 45231)
	Service	P Service	Service	Delivery		P DELIVERY
9.00						
0 00						
1						
2рм	4.30772738250615 miles.	4 ×				
1 00						
2 00						
				2:30 PM-5:00 PM 45231 - ORDST2300 (2700 Compton Rd		
3 00				CINCINNATI OH 45231)		
4 00	4:00 PM-5:30 PM 45249 - ORDPH1032 (11963 PAULMEADOWS					
	DR CINCINNATI OH 45249)					
5 00	Service'					

Application Settings

Make sure you have optimal settings enabled to perform the tasks outlined in this document.

Navigate to **Settings**.

	🕗 = 🔁 =
_	
4	Log Off
آ	Active Users
	Activity Locks
	Report Manager
-C#	Script Manager
0	SQL Custom Procedures
	Security Editor
<u>i</u>	Settings
	User Field Editor
2	example.user's User Card
P	Exit

Type "geo" into the search bar to reveal the necessary securities.

- *Geocoordinate Service Provider* Service provider used to route Sales Documents.
- Geocoding API Key Enter Geocoordinates API Key.
- *Geocoding Retry Count* Number of retries to contact the Geocoding service in event of Error.
 - Default Value: 5