




Intrastat Entry

Megan De Freitas - 2024-11-22 - System

Settings and Security


The Intrastat Entry window must be enabled for each security group that needs access.

Check the box next to *Sales Line Intrastat Entry* to enable for each security group that will be entering orders.



The Settings for Intrastat Entry can be found using Intrastat as the filter. These settings can be used to set default values for certain fields when the plugin starts, to facilitate quicker entry.

Autocreate Entry from Previous Document - controls whether the entry window will pop up when a new Intrastat entry is created for a document that has entries on the previous document; If True, an updated entry will be created with the values from the last document and no window will appear



To use the plugin during workflow, a Sales Document Entry Post Transfer Script must be used. An example of that script can be found at the end of this document.

Usage

An Intrastat Entry must be created for each line on a new invoice. When the Post Transfer script is used, the Intrastat Entry form will appear for each line item.

Document Information			
Doc Type:	INVOICE	Doc Number:	INV11193
Customer Number:	BSSPECIA	Arrival Dispatch:	D
Location:	WAREHOUSE1	Doc Date:	9/16/2014

Item Information	
Item Number:	100007
Item Description:	V-Block Set for 60 Ton Shop Press

Intrastat Information			
Tax Registration Number:	DE274776274		
Country Code:	DE	Country:	Germany
Transport Mode:	Road		
Transaction Nature:	xx		
Incoterms:	xx		
Procedure/Regime:	xx		
Port:	xx		
Region:	xx		
Country Of Origin:	NL		
Net Unit Mass:	0.00000		
Tax Commodity Code:	84521090		
Supplementary Units:	0	Traders Reference:	0
Quantity:	1	Goods Value:	450
Line Mass:	0.00000	Statistical Value:	450

OK

Most information will be prepopulated, either based on the Settings described before or by information from the line item. Make any adjustments needed then save the entry by clicking **OK**.

Post Transfer Script

```
foreach (var sli in sd.LineItems)
{
var args = new SalesPad.Args.SalesLineItemArgs(sd, sli); try
{
SalesPad.Module.IntrastatTracking.pplIntrastat pp = new
SalesPad.Module.IntrastatTracking.pplIntrastat(args);
var f = new Form();
f.StartPosition = FormStartPosition.CenterParent; int widthOffset = f.Size.Width -
```

```
f.ClientSize.Width; int heightOffset = f.Size.Height - f.ClientSize.Height;
pp.ConfigureParentForm(Framework.Controller.MainForm, f);
f.Size = new System.Drawing.Size(pp.Width + widthOffset, pp.Height + heightOffset);
f.Controls.Add(pp);
f.ShowDialog();
}
catch (PluginAbortCreateException) {}
}
return String.Empty;
```