



Service Manager

Megan De Freitas - 2024-12-03 - Miscellaneous


Overview

Service Manager is used to install ShipCenter's Windows service, in order to use the ShipCenter Rate Quoting plugins for SalesPad Desktop. Multiple services can be installed targeting different ShipCenter databases for multi-company or Live/Test environments.

Usage


Install a Service

Click the **Install Service** button to start the installation wizard.



In the installation wizard, choose a startup type for the service.

- Automatic - Service starts with Windows, immediately after installation.
- Automatic (Delayed Start) - Service starts after Windows has finished booting, and immediately after installation.
- Manual - Service must be started manually after installing or a system reboot.




For the Service Log On, specify the Windows user the service will run under.

- Local System account - Installs the service on a local account. For more info on


installing services on a local account, see Microsoft's documentation [here](#).

- This Account - Allows for naming a specific account for the service.




The dialog box is titled "ShipCenter" and "Configure Service". Below the title bar, it says "Service Log On". There are two radio buttons: "Local System account" (selected) and "This account:". To the right of "This account:" is a "Browse..." button. Below "This account:" are three text boxes labeled "Password:" and "Confirm:". At the bottom are three buttons: "< Back", "Next >" (highlighted), and "Cancel".

In the SQL Server Connection screen of the installation wizard, you can specify the ShipCenter database this instance of the service will connect to. This defaults to the current connection. When using Windows Authentication, it will be the same Windows user from the Service Log On step. This Windows user must have the appropriate SQL permissions. A SQL user can be used in place of a Windows user.



The dialog box is titled "ShipCenter" and "Configure Service". Below the title bar, it says "SQL Server Connection". There are two dropdown menus: "Server:" with "(local)" selected and "Database:" with "TWO" selected. Below these are two radio buttons: "Windows Authentication" and "SQL User:" (selected). To the right of "SQL User:" is a text box containing "sa". Below that is a "Password:" text box containing "**". At the bottom are three buttons: "< Back", "Next >" (highlighted), and "Cancel".

For identification purposes, it is required the service be given a unique Service ID. In the Windows service list, the service will be installed as "ShipCenter ()". Specify an open port for the service. This field defaults to 5501. Multiple services can be configured to use the same port, but only one can run at a time on each port.



ShipCenter

Install Service
Click 'Next' to begin installation.


Service ID:

Port:

< Back Next > Cancel

Manage installed services

To manage a service, select its unique Service ID from the Service ID drop down.



Service Manager

Close Service ID: Start Stop Uninstall Service Install Service

TWO DB Service

Starting, Stopping, and Uninstalling the Service

In addition to starting and stopping the service from Windows Task Manager or services.msc, the service can be started and stopped from the Service Manager by clicking the **Start** or **Stop** buttons, respectively.

The current state of the service is reflected by the state of the **Start** and **Stop** buttons. If the service is started or stopped from outside of ShipCenter while it is selected in the Service Manager, the Service Manager will need to be refreshed by re-selecting the service from the Service ID dropdown to update its state.

To uninstall the service, click the **Uninstall Service** button.

Security

Service Manager - Grants access to the Service Manager module.